					Annual Operational	
Fiscal Year	Department	Item Name	Item Description	Item Cost	Cost(s)	Justification
						Mission critical server. Server will be 7 years old in 2026. Support ends in July 2025. Price includes equipment, data transfer and
			CAD and RMS server hosting software and data for			implementation services. Annual operational costs (maintenance
	12180 & 32030 -	CAD and RMS Server	Computer Aided Dispatch (ECC) and Records			and support) covered by ongoing annual maintenance already
FY26	Technology & E911	Replacement	Management System (Sheriff's Office).	\$60,000		under contract.
	12180 & 32030 -	Telephone System	County Telephone System serving all offices at the			System is End of Support. Discounts of at least 10% -15% should
FY26	Technology & E911	Upgrade	Courthouse and 6 remote offices	\$162,000		be available but cannot currently be quoted.
= \$				+		System is End of Support. System is currently 7 years old. New
						system will be purchased through VA Supreme Court and they
						hope to begin rolling out new systems statewide in July 2025.
	12180 & 32030 -		Polycom Audio/Video system used in Circuit			Annual operational costs (maintenance and support) may be lower
FY26	Technology & E911	Replacement	Courtroom including integration support	\$12,000		if the Supreme Court of VA provides support.
		M (D '' I'				System was installed in 2011 and needs hardware and software
	12180 & 32030 -	Metasys Building Automation System	Software upgrade and implementation services for Metasys BAS used to manage all HVAC systems in the			upgrades to bring it to the current version. If the system were to go down it would be difficult and perhaps unable to be put back online
FY26	Technology & E911	Upgrade	Courthouse	\$17,600		and operate properly
1 120	reciliology & L311	Opgrade	Replacement of 4 network switches at the Courthouse	Ψ17,000	ΨΟ	and operate property
	12180 & 32030 -	Courthouse Network Switch	that provide for County network, internet and telephone			Current switches are 13 to 14 years old and are no longer
FY26	Technology & E911	Upgrade	system connectivity	\$30,000		supported by the manufacturer.
		10		. ,		Switches will be 8 years old in FY26 and should be replaced to
						avoid loss of network, internet and telephone services at remote
						sites. Sites include Tourism/Economic Development,
						Recreation/Cooperative Extension, Planning/Building Inspections,
	12180 & 32030 -	Remote Site Network	Replacement of network switches at 6 remote County office locations that provide for County network,			Social Services, Registrar and Maintenance. May be able to complete in conjunction with telephone system upgrade listed
FY26	Technology & E911	Switch Replacement	internet and telephone system connectivity	\$32,500		above if approved.
1 120	reciliology & E511	Ownor Replacement	Internet and telephone system connectivity	Ψ02,300	ψ5,000	Pagers were purchased in early 2015 and are no longer supported
						for repair. We are seeing increasing numbers of failures. Cost
	12180 & 32030 -		Replacement of non-vendor supported fire and rescue			covers the replacement of 170 pagers for fire and rescue
FY26	Technology & E911	Rescue Pagers	pagers	\$75,000	\$0	personnel.
						The current server for the building access control system (badging,
	12180 & 32030 -	JCI Support for Migration	Configuration of new virtual server for hosting the			doors, card readers and video) is 7 years old. This request is for
FY26	Technology & E911	to New Security System Server	County security system.	\$11,000	0.2	JCl support to configure the security system on a new virtual server hosted on an existing County server.
1 120	reciliology & E511	Contingency Plan and	County Scounty System.	ψ11,000		Contingency Plan and Systems Security Plan in order to comply
	12180 & 32030 -	Systems Security Plan	Consulting for the development of a Contingency Plan			with the Locality Election Security Standards as required by VA
FY26	Technology & E911	(LESS)	and Systems Security Plan	\$15,000		Code 24.2410.2.
		, ,	short term rental properties within the County and			Will assist the County in identifying short term rental properties
	12180 & 32030 -		optional outreach campaigns, registration, tax payment			that have not obtained a business license and/or are not remitting
FY26	Technology & E911	Short Term Rental System	portals and reporting hotline.	\$40,000		logding taxes to the County.
						The County needs to provide reliable and secure internet access
			Replace existing wireless access points and Install			in meeting spaces, the Registrar's Office and EOC at the
	12180 & 32030 -	Wireless Internet Access	additional wireless access points to provide wireless internet access in meeting spaces that complies with			Courthouse with encryption that complies with Federal Information Processing Standards (FIPS) and protects the County network
FY26	Technology & E911	Expansion	the Locality Election Security Standards.	\$26,100		from access by unauthorized users.
1 120	100miology & LOTT	Елраноюн	and Educate Election Cooling Standards.	Ψ20,100		Enhances security of materials and supplies, and ease of access,
			Nine steel security carts with locking casters for			at the Department of Elections. Replaces reliance on Chief
			transport and storage of precinct equipment and			Officers of Election to transport large volumes of equipment and
FY26	13010 - Electoral Board	Transport/Storage Cart	supplies.	\$18,900	for each election	materials in private vehicles.

FY26	32010 - Emergency Services	Starlink Wanderer Pro	Request for 2 Starlink mobile units. They have the ability to set up mobile internet as well as transfer data and make phone calls	\$9,190	\$1,000	As seen in WNC, during a disaster, access to phone and internet can be interupted for long periods of time. These units will provide satellite internet and the ability to make calls from cell.
						If the County plans to keep and use the structure, even if not for
						the Building Department, we should consider "fixing" the structural
						issues the structure currently has. At the very least, a structural
						assesment, evaluation of repairs and cost analysis. This will allow the County to know if the structure is "worth" repairing. We may
						also think about a true survey of the flood plain/way and see how
						much land is available in that location to build a new structure
			Major Repairs to the Building Department			instead, if desired. Also, enough renovations over time could
			(Building/Structure) at 80 Front Street, Lovingston VA.			accomplish a new structure in that location. We would need a
			Up to half of the appraised/assesed value of the structure; due to Zoning regulations regarding			proper plan and wouldnt want it on the fill dirt it is currently on; for longevity purposes. Regardless, in the condition it is in now, it
	34010 - Building		structures in the flood plain/way. Half of the assesed		Light Bill and Property	warrants a site visit and a conversation where we could discuss
FY26	Inspections	Building Renovations	value is currently (231,300./2 = 115,650.)	\$115,650		the facts and not wasting valuable resources on a "band-aid."
						Additional space needed for new Shelter Manager position, new
F) (00	05040 4 : 10 4 1	OL 16 A 1 1767	12X12 New Construction Shelter Office. \$180.00 Per	405.000		Full-time Shelter Attendant and proposed Part-time Attendant
FY26	35010 - Animal Control	Shelter Addition	Sq. Ft.	\$25,920	N/A	positions.
			Repair of the main shelter waste drain and the general			
			population dog kennel upgrade. Remove current dog			
			kennels to gain access to the drain, remove PVC liner			
			in drain and make necessary repairs, install new liner,			The PVC liner has become worn and compromised. The Nelson
FY26	35010 - Animal Control	Shelter Repairs/Upgrades	remove current epoxy floor and install new epoxy floor, and install new dog kennels/reinstall old kennels.	\$156,729	N/A	County Animal Shelter was built in 1999 and the existing kennels and drains are the original.
1 120	300 TO - Atlittial Control	Official Repairs/Opgrades	and install new dog kermels/relistall old kermels.	ψ100,720	19/73	and drains are the original.
						Currently we have two containers that are deteriorating to the point
						that light can be seen through many small holes around the entire
			The containers are used at the convenience centers to			structure. Some repairs have been made but the metal is deteriorating which creates a problem in finding clean metal to
	42030 - Waste	Marathon 40 Yard	collect waste and are hauled to our transfer station for			properly weld to. I see this possibly becoming a safety issue due to
FY26	Management	Compaction Container	off loading, \$15,350 each; 2 are needed.	\$30,700	N/A	the 1,000 + psi force created while compacting.
	42030 - Waste					This compactor has been repaired many times and the metal is
FY26	Management	Compactor Replacement	Rockfish Convenience Center compactor #2	\$43,000	N/A	becoming thin and disfigured.
FY26	43020 - Buildings & Grounds	Fire Control Panel in Courthouse	This Panel controls the sprinkler system controls and alarms	\$30,000	N/A	The panel is nearing being obsolete. Cost is an estimate pending receipt of quote from JCI.
1 120	43020 - Buildings &	Courtilouse	alannis	ψου,οοο	19/73	Parking lots at the Courthouse and Convenience Centers have
FY26	Grounds	Asphalt Repair	Fill cracks and seal driveways and parking lots	Waiting on quote	N/A	severe cracks and webbing.
F) (00	43020 - Buildings &	D (D)		147 ***		There are many reoccurring leaks over J&D and General District
FY26	Grounds	Roof Repair	Find and repair leaks on Courthouse roof	Waiting on quote	N/A	Court offices causing ceiling damage. Provide additional security of the tunnel trail to be able to lock the
	71020 - Parks &		Electronic Security Gates at the Blue Ridge Tunnel to			gates daily at sunset and open each day at sunrise by an
FY26	Recreation	Security Gates @ Tunnel		\$45,000	\$0	electronic schedule.
						To provide a more sanitary experience for visitors at the tunnel.
	71020 Parks 8	Permanent Bathroom	Vault system bathroom facility at the Eastern Trailhead of the tunnel. Would also include storage room to			Would also help with the asthetics of what you first see when arriving and not blue protable toilets. Would still require
FY26	71020 - Parks & Recreation	Facility @ Tunnel	provide area to store maintenance equipment.	\$90,000	\$7 200	contracted pumping and filling of potable water.
. 120	. 1001041011			ψ00,000	Ψ1,200	To enhance the recreational ammeneties of the Lovingston aree
	71020 - Parks &		Pocket park to include playground and small shelter at			providing families a small play area for children. Project helps
FY26	Recreation	Lovingston Park	lot located adjacent to Planning & Zoning office	\$65,000		support the Lovingston revitalization efforts.
TOTAL FY26				\$1,093,689		

					Annual Operational	
Fiscal Year	Department	Item Name	Item Description	Item Cost	Cost(s)	Justification
	11010 & 12010 - Board					To Identify Noveled Descript/Devilence of the fature OID and
EV07	of Supervisors & County		Comprehensive Evaluation of County Owned Escilition	Fatimated \$75,000	N/A	To Identify Needed Repairs/Replacement for future CIP and Development of Facilities Maintenance Schedules
FY27	Administration 11010 & 12010 - Board	County Facilities Study	Comprehensive Evaluation of County-Owned Facilities	Estimated \$75,000	Debt Service Costs	Development of Facilities Maintenance Schedules
	of Supervisors & County	Larkin Property Cost and	Payoff of \$2.6M Bond Anticipation Note for Property	17,600,000 (\$17.6 mill		Payoff of 2022 Bond Anticipation Note of \$2.6M by 8/01/2027
FY27/28	Administration	Phase 1 Development	Purchase and \$15M Phase 1 Development	already budgeted)	Strategy	(FY27/28) and \$15M Phase 1 Development Costs
FY27	12180 & 32030 - Technology & E911	·	Replace UPS batteries in accordance with recommended 5 year replacement cycle.	\$15,000		This UPS protects all County network servers, routers, switches and the telephone system from power surges and powers all equipment in the event of generator failure during a power outage UPS power protects servers from being corrupted due to imprope shutdown during power failures.
			Replace IBM server hosting software and data for the			Server will reach end of End of Life in 2026 and will need to be
	12180 & 32030 -	BAI Municipal Software	County's financial, real estate and personal property			purchased and implementation completed prior to December
FY27	Technology & E911	Server Replacement	system.	\$63,000	\$1,500	2026.
			Replacement of 1 network switch at the Courthouse			
	12180 & 32030 -	Courthouse Network Switch	that provides for County network, internet and			Switch will be over 10 years old and will no longer be supported b
FY27	Technology & E911	Upgrade	telephone system connectivity	\$9,500	\$700	the manufacturer effective10/31/2026.
FY27	12180 & 32030 - Technology & E911	Replace ECC Raised Floor Tiles	Replace raised floor tiles in the ECC	\$30,000		Current carpeted raised floor tiles have been installed since 2011 and have extensive wear and stains.
FY27	12180 & 32030 - Technology & E911	Radio System Upgrade to Trunked	Upgrade the County radio system from a 4 channel conventional system to a trunked radio system which will allow the County to use those 4 channels (frequencies) in a system that allows those channels to be shared by a number of users, in multiple talkgroups, without their conversations interfering with each other. The number of talk groups in a trunked system can far exceed the current 4 channel limitation.			The current communications capacity of the County's radio system is becoming increasingly inadequate in meeting the County's radio communications needs. Additional talk groups are needed when multiple fire, rescue and law enforcement events or operations are occurring at the same time in order to prevent missed communications due to simultaneous transmissions. Consideration should also be given to migrating Wintergreen to this system from their aging and limited footprint system. Increase in annual maintenance from \$212,827 currently to an estimated \$600,00. All costs are a current budgetary estimate.
FY27	12180 & 32030 - Technology & E911	Add Radio Tower Site - Southern Nelson	Construction of a new radio communications tower site in southern Nelson.	\$1,500,000	\$43,000	Addition of tower site would improve coverage in radio communications coverage gaps in southern Nelson. Annual operational costs would be reflected in the overall annual maintenance cost of the radio system.
						Existing federally-mandated ADA-compliant units are reaching en
						of-life. Operating costs reflect annual firmware and extended
FY27	13010 - Electoral Board	Accessible Voting Systems	Replacement ADA-compliant ballot marking interfaces	\$55,200	\$2,928	warranty costs for 12 ADA units
FY27	32010 - Emergency Services	Shelter Trailer	An enclosed trailer with the equipment to set up shelter operations in a disaster. This trailer would hold enough essentials for 100 people.		\$500	Currently any cots, blankets etc would have have to be outsourced. In a widespread disaster, these resources may be in limited supply
FY27	32010 - Emergency Services	Shelter trailer for people and companion animals	An enclosed trailer with the equipment to set up a federally required shelter for companion animals in a disaster. This trailer would also have enough supplies to set up sheltering for a limited number of people	\$20,000		Sheltering for companion animals is federally required when opening shelters
FY27	42030 - Waste Management	Scale house	This building is located at the transfer station and is used to by the emplyees to accept funds from public for dumping waste, restrooms and other day to day activities			The current building is set on 6"x6" posts and a deck type foundation which is beginning to sag. A new building with a block foundation would be much better for long term use and would be far less maintenance
	managomon	254.5 110400		ψ00,000	111111111111111111111111111111111111111	is is a maintenance

FY27	71020 - Parks & Recreation	Recreation Master Plan	Department wide recreation master plan to allow the county to plan accordingly for furture recreation needs and facilities.	\$130,000	With the push for a recreational facility, this will allow us to better understand the community wants/needs compared to professionally formed data on regional/state/national trends. In additon, the plan will help the department align and have a more detailed focus for the future as it relates to the Nelson 2042 Comp Plan.
TOTAL FY27				\$5,012,700	

					Annual Operational	
Fiscal Year	Department	Item Name	Item Description	Item Cost	Cost(s)	Justification
	12180 & 32030 -		Replace the County's network firewall appliance with			
FY28	Technology & E911	Firewall Replacement	supported equipment.	\$8,500	\$1,200	Estimated End of Life for system
			Replacement of 4 network switches at the Courthouse			
	12180 & 32030 -	Courthouse Network Switch	that provide for County network, internet and telephone			Current switches are approximately 10 years old and will no longe
FY28	Technology & E911	Upgrade	system connectivity	\$28,500	\$2,800	be supported by the manufacturer effective10/31/2027.
			A new building that would house the 911 operations			Our current space is small. There is no dedicated EOC space, no
	32010 - Emergency		and emergency management. This would also have a			spaces to house employees during an emergency requiring them
FY28	Services	EOC/ECC Building	dedicated EOC space .	\$10,000,000	TBD	to stay on premises.
						The skid steer currently being used is five years old and I would
						like to move it to the maintenance department. It is much heavier,
						has more power, enclosed cab and a stronger hydraulic which
	42030 - Waste		This machine is used to move solid waste on the			would be benificial in assisting with more of our needs and
FY28	Management	Bobcat Skid Steer	tipping floor at the transfer station	\$75,000	unforeseen rapairs	assisting in the needs of the Parks and Recreation Dept.
TOTAL FY28				\$10,112,000		
		Vesta 911 Call Handling	Replacement of all hardware components for the Vesta			Mission Critical Equipment. If the system fails 911 calls would
	12180 & 32030 -	Equipment Hardware	911 Call Handling Equipment used in the ECC to			have to be rerouted to administrative phone lines and no caller
FY29	Technology & E911	Refresh	process and answer 911 calls.	\$175,000	\$0	information would be provided other than by the caller.
						Mission Critical Equipment. UPS protects all equipment in the
						Emergency Communications Center from power surges and
	12180 & 32030 -	ECC UPS Battery	Replace UPS batteries in accordance with			provides power to the equipment in the event of generator failure
FY29	Technology & E911	Replacement	recommended 5 year replacement cycle.	\$15,000	\$0	during a power outage.
						Mission Critical Radio Communications Sites. UPS protects
						equipment from power surges and powers radio communications
						equipment in the event of generator failure during power outage.
	12180 & 32030 -	Tower Site UPS Battery	Replace UPS batteries at 4 tower sites in accordance			Loss of power to equipment results in loss of radio
FY29	Technology & E911	Replacement	with recommended 5 year replacement cycle.	\$47,200	\$0	communications in the coverage area of the site.
	12180 & 32030 -	Call Recording System		.		
FY29	Technology & E911	Upgrade	Replace current 911 call recording system	\$45,000	\$7,000	Estimated End of Life for system
						I am currently awaiting information on Leasing this equipment
						instead of purchasing it straight out. This would allow for proper
	40000 114		This machine is used to move solid waste from the			budgeting in the future because all service work and repairs would
- 1.400	42030 - Waste	1	tipping floor to trucks to be hauled away from the	****	•	be covered under the lease. The current excavator could then be
FY29	Management	Doosan 140 Excavator	transfer station	\$225,000-\$250,000	unforeseen repairs	used as a back up at the facility
TOTAL FY29				\$532,200		

					Annual Onerational	
Et a l Mara	D	Maria Nama	Mario Barra da Cara		Annual Operational	1 - 00 - 0
Fiscal Year	Department	Item Name	Item Description	Item Cost	Cost(s)	Justification
	11010 & 12010 - Board					
	of Supervisors & County					
FY30	Administration	Water Infrastructure	Water Infrastructure Possibilities at Dillard Creek	TBD	TBD	Supervisor Reed Request
	11010 & 12010 - Board					
	of Supervisors & County	Lovingston Water/Sewer				
FY30	Administration	System Capacity Upgrades	Lovingston Water/Sewer System Capacity Upgrades	TBD	TBD	Supervisor Reed Request
	11010 & 12010 - Board					
	of Supervisors & County	Stoney Creek Aqua VA				
FY30	Administration	System Purchase	Possible Purchase of Stoney Creek/Aqua VA System	TBD	TBD	Supervisor Reed Request
FY30	12180 & 32030 - Technology & E911		Replace UPS batteries in accordance with recommended 5 year replacement cycle.	\$30,000		Mission Critical Radio Communications System. DC plant protects equipment from power surges and powers the County's microwave systems at the site in the event of generator failure during a power outage. Loss of power to microwave equipment results in loss of microwave network connectivity to the ring for the site and disrupts simulcast synchronization for the site.
FY30	12180 & 32030 - Technology & E911	Computer Aided Dispatch PC Replacement	Replace 4 CAD workstations in the ECC used by dispatchers to track 911 calls for service, determine responding agencies and view caller location on the map.	\$7,500		Computer Aided Dispatch (CAD) functionality is essential to dispatchers in processing calls for emergency services.
TOTAL FY30				\$37,500		
_			GRAND TOTAL	\$16,788,089	\$729,128	