Fiscal Year	Department	Item Name	Item Description	Item Cost	Annual Operational Cost(s)	Justification
FY26	12180 & 32030 - Technology & E911	CAD and RMS Server Replacement	CAD and RMS server hosting software and data for Computer Aided Dispatch (ECC) and Records Management System (Sheriff's Office).	\$60,000		Mission critical server. Server will be 7 years old in 2026. Suppor ends in July 2025. Price includes equipment, data transfer and implementation services. Annual operational costs (maintenance and support) covered by ongoing annual maintenance already under contract.
FY26	12180 & 32030 - Technology & E911	Telephone System Upgrade	County Telephone System serving all offices at the Courthouse and 6 remote offices	\$162,000	\$9,000	System is End of Support. Discounts of at least 10% -15% should be available but cannot currently be quoted.
FY26	12180 & 32030 - Technology & E911	Circuit Court AV System Replacement	Polycom Audio/Video system used in Circuit Courtroom including integration support	\$12,000	\$10,000	System is End of Support. System is currently 7 years old. New system will be purchased through VA Supreme Court and they hope to begin rolling out new systems statewide in July 2025. Annual operational costs (maintenance and support) may be lowe if the Supreme Court of VA provides support.
FY26	12180 & 32030 - Technology & E911	Metasys Building Automation System Upgrade	Software upgrade and implementation services for Metasys BAS used to manage all HVAC systems in the Courthouse	\$17,600	\$0	System was installed in 2011 and needs hardware and software upgrades to bring it to the current version. If the system were to g down it would be difficult and perhaps unable to be put back onlin and operate properly
FY26	12180 & 32030 - Technology & E911	Courthouse Network Switch Upgrade	Replacement of 4 network switches at the Courthouse that provide for County network, internet and telephone system connectivity	\$30,000	\$2,800	Current switches are 13 to 14 years old and are no longer supported by the manufacturer.
FY26	12180 & 32030 - Technology & E911	Remote Site Network Switch Replacement	Replacement of network switches at 6 remote County office locations that provide for County network, internet and telephone system connectivity	\$32,500	\$3,000	Switches will be 8 years old in FY26 and should be replaced to avoid loss of network, internet and telephone services at remote sites. Sites include Tourism/Economic Development, Recreation/Cooperative Extension, Planning/Building Inspections Social Services, Registrar and Maintenance. May be able to complete in conjunction with telephone system upgrade listed above if approved.
FY26	12180 & 32030 - Technology & E911	Replacement of Fire and Rescue Pagers	Replacement of non-vendor supported fire and rescue pagers	\$75,000	\$0	Pagers were purchased in early 2015 and are no longer supporte for repair. We are seeing increasing numbers of failures. Cost covers the replacement of 170 pagers for fire and rescue personnel.
FY26	12180 & 32030 - Technology & E911	JCI Support for Migration to New Security System Server	Configuration of new virtual server for hosting the County security system.	\$11,000	\$0	The current server for the building access control system (badgin doors, card readers and video) is 7 years old. This request is for JCI support to configure the security system on a new virtual server hosted on an existing County server.
FY26	12180 & 32030 - Technology & E911	Contingency Plan and Systems Security Plan (LESS)	Consulting for the development of a Contingency Plan and Systems Security Plan	\$15,000		Contingency Plan and Systems Security Plan in order to comply with the Locality Election Security Standards as required by VA Code 24.2410.2.
FY26	12180 & 32030 - Technology & E911	Short Term Rental System	short term rental properties within the County and optional outreach campaigns, registration, tax payment portals and reporting hotline.	\$40,000		Will assist the County in identifying short term rental properties that have not obtained a business license and/or are not remitting logding taxes to the County.
FY26	12180 & 32030 - Technology & E911	Wireless Internet Access Expansion	Replace existing wireless access points and Install additional wireless access points to provide wireless internet access in meeting spaces that complies with the Locality Election Security Standards.	\$26,100		The County needs to provide reliable and secure internet access in meeting spaces, the Registrar's Office and EOC at the Courthouse with encryption that complies with Federal Informatio Processing Standards (FIPS) and protects the County network from access by unauthorized users.
FY26	13010 - Electoral Board		Nine steel security carts with locking casters for transport and storage of precinct equipment and supplies.	\$18,900	TBD - delivery and pick-up	Enhances security of materials and supplies, and ease of access at the Department of Elections. Replaces reliance on Chief Officers of Election to transport large volumes of equipment and materials in private vehicles.

FY26

			Request for 2 Starlink mobile units. They have the		As seen in WNC, during a disaster, access to phone and internet
	32010 - Emergency		ability to set up mobile internet as well as transfer data		can be interupted for long periods of time. These units will provide
FY26	Services	Starlink Wanderer Pro	and make phone calls	\$9,190	\$1,000 satellite internet and the ability to make calls from cell.
					If the County plans to keep and use the structure, even if not for
					the Building Department, we should consider "fixing" the structural
					issues the structure currently has. At the very least, a structural
					assesment, evaluation of repairs and cost analysis. This will allow
					the County to know if the structure is "worth" repairing. We may
					also think about a true survey of the flood plain/way and see how
					much land is available in that location to build a new structure
			Major Repairs to the Building Department		instead, if desired. Also, enough renovations over time could
			(Building/Structure) at 80 Front Street, Lovingston VA.		accomplish a new structure in that location. We would need a
			Up to half of the appraised/assesed value of the		proper plan and wouldnt want it on the fill dirt it is currently on; for
			structure; due to Zoning regulations regarding		longevity purposes. Regardless, in the condition it is in now, it
	34010 - Building		structures in the flood plain/way. Half of the assesed		Light Bill and Property warrants a site visit and a conversation where we could discuss
FY26	Inspections	Building Renovations	value is currently ( 231,300./2 = 115,650.)	\$115,650	Taxes (Assuming) the facts and not wasting valuable resources on a "band-aid."
					Additional space needed for new Shelter Manager position, new
			12X12 New Construction Shelter Office. \$180.00 Per		Full-time Shelter Attendant and proposed Part-time Attendant
FY26	35010 - Animal Control	Shelter Addition	Sq. Ft.	\$25,920	N/A positions.
			Repair of the main shelter waste drain and the general		
			population dog kennel upgrade. Remove current dog		
			kennels to gain access to the drain, remove PVC liner		
			in drain and make necessary repairs, install new liner,		The PVC liner has become worn and compromised. The Nelson
			remove current epoxy floor and install new epoxy floor,		County Animal Shelter was built in 1999 and the existing kennels
FY26	35010 - Animal Control	Shelter Repairs/Upgrades	and install new dog kennels/reinstall old kennels.	\$156,729	N/A and drains are the original.
					Currently we have two containers that are deteriorating to the poin
					that light can be seen through many small holes around the entire
					structure. Some repairs have been made but the metal is
			The containers are used at the convenience centers to		deteriorating which creates a problem in finding clean metal to
	42030 - Waste	Marathon 40 Yard	collect waste and are hauled to our transfer station for		properly weld to. I see this possibly becoming a safety issue due to
FY26	Management	Compaction Container	off loading. \$15,350 each; 2 are needed.	\$30,700	N/A the 1,000 + psi force created while compacting.
1120	42030 - Waste			<i>400,100</i>	This compactor has been repaired many times and the metal is
FY26	Management	Compactor Replacement	Rockfish Convenience Center compactor #2	\$43,000	N/A becoming thin and disfigured.
	43020 - Buildings &		This Panel controls the sprinkler system controls and	+ ,	The panel is nearing being obsolete. Cost is an estimate pending
FY26	Grounds	Courthouse	alarms	\$30,000	N/A receipt of quote from JCI.
	43020 - Buildings &				Parking lots at the Courthouse and Convenience Centers have
FY26	Grounds	Asphalt Repair	Fill cracks and seal driveways and parking lots	Waiting on quote	N/A severe cracks and webbing.
	43020 - Buildings &				There are many reoccurring leaks over J&D and General District
FY26	Grounds	Roof Repair	Find and repair leaks on Courthouse roof	Waiting on quote	N/A Court offices causing ceiling damage.
					Provide additional security of the tunnel trail to be able to lock the
	71020 - Parks &		Electronic Security Gates at the Blue Ridge Tunnel to		gates daily at sunset and open each day at sunrise by an
FY26	Recreation	Security Gates @ Tunnel	allow scheduled daily closure of parking areas	\$45,000	\$0 electronic schedule.
					To provide a more sanitary experience for visitors at the tunnel.
			Vault system bathroom facility at the Eastern Trailhead		Would also help with the asthetics of what you first see when
	71020 - Parks &		of the tunnel. Would also include storage room to		arriving and not blue protable toilets. Would still require
FY26	Recreation	Facility @ Tunnel	provide area to store maintenance equipment.	\$90,000	\$7,200 contracted pumping and filling of potable water.
	74000 5 4 0				To enhance the recreational ammeneties of the Lovingston aree
51/00	71020 - Parks &		Pocket park to include playground and small shelter at	****	providing families a small play area for children. Project helps
FY26	Recreation	Lovingston Park	lot located adjacent to Planning & Zoning office	\$65,000	\$0 support the Lovingston revitalization efforts.
TOTAL FY26				\$1,093,689	

O:\FY26 Budget\FY26 CIP 5-Year List

					Annual Operational	
Fiscal Year	Department	Item Name	Item Description	Item Cost	Cost(s)	Justification
	11010 & 12010 - Board					
	of Supervisors & County					To Identify Needed Repairs/Replacement for future CIP and
FY27	Administration	County Facilities Study	Comprehensive Evaluation of County-Owned Facilities	Estimated \$75,000		Development of Facilities Maintenance Schedules
	11010 & 12010 - Board				Debt Service Costs	
		Larkin Property Cost and	Payoff of \$2.6M Bond Anticipation Note for Property		Covered by Debt Capacity	Payoff of 2022 Bond Anticipation Note of \$2.6M by 8/01/2027
FY27/28	Administration	Phase 1 Development	Purchase and \$15M Phase 1 Development	already budgeted)	Strategy	(FY27/28) and \$15M Phase 1 Development Costs
						This UPS protects all County network servers, routers, switches
						and the telephone system from power surges and powers all
						equipment in the event of generator failure during a power outage.
	12180 & 32030 -	Battery Replacement Eaton	Replace UPS batteries in accordance with			UPS power protects servers from being corrupted due to improper
FY27	Technology & E911	IT UPS	recommended 5 year replacement cycle.	\$15,000	\$0	shutdown during power failures.
			Replace IBM server hosting software and data for the			Server will reach end of End of Life in 2026 and will need to be
	12180 & 32030 -	BAI Municipal Software	County's financial, real estate and personal property			purchased and implementation completed prior to December
FY27	Technology & E911	Server Replacement	system.	\$63,000	\$1,500	
			Replacement of 1 network switch at the Courthouse	÷00,000	¢ 1,000	
	12180 & 32030 -	Courthouse Network Switch	that provides for County network, internet and			Switch will be over 10 years old and will no longer be supported by
FY27	Technology & E911		telephone system connectivity	\$9,500	\$700	the manufacturer effective10/31/2026.
FTZI	Technology & E911	Upgrade		φ9,500	\$700	
	40400 8 00000					
	12180 & 32030 -	Replace ECC Raised Floor		<b>*</b> ***		Current carpeted raised floor tiles have been installed since 2011
FY27	Technology & E911	Tiles	Replace raised floor tiles in the ECC	\$30,000	\$0	and have extensive wear and stains.
						The current communications capacity of the County's radio system
						is becoming increasingly inadequate in meeting the County's radio
			Upgrade the County radio system from a 4 channel			communications needs. Additional talk groups are needed when
			conventional system to a trunked radio system which			multiple fire, rescue and law enforcement events or operations are
			will allow the County to use those 4 channels			occurring at the same time in order to prevent missed
			(frequencies) in a system that allows those channels to			communications due to simultaneous transmissions.
			be shared by a number of users, in multiple talkgroups,			Consideration should also be given to migrating Wintergreen to
			without their conversations interfering with each other.			this system from their aging and limited footprint system.
	12180 & 32030 -	Radio System Upgrade to	The number of talk groups in a trunked system can far			Increase in annual maintenance from \$212,827 currently to an
FY27	Technology & E911	Trunked	exceed the current 4 channel limitation.	\$3,025,000	\$600,000	estimated \$600,00. All costs are a current budgetary estimate.
						Addition of tower site would improve coverage in radio
						communications coverage gaps in southern Nelson. Annual
	12180 & 32030 -	Add Radio Tower Site -	Construction of a new radio communications tower site			operational costs would be reflected in the overall annual
FY27	Technology & E911	Southern Nelson	in southern Nelson.	\$1,500,000	\$43,000	maintenance cost of the radio system.
						Existing federally-mandated ADA-compliant units are reaching end
						of-life. Operating costs reflect annual firmware and extended
FY27	13010 - Electoral Board	Accessible Voting Systems	Replacement ADA-compliant ballot marking interfaces	\$55,200	\$2,928	warranty costs for 12 ADA units
		2 1	An enclosed trailer with the equipment to set up shelter			Currently any cots, blankets etc would have have to be
	32010 - Emergency		operations in a disaster. This trailer would hold enough			outsourced. In a widespread disaster, these resources may be in
FY27	Services	Shelter Trailer	essentials for 100 people.	\$25,000	\$500	limited supply
				. ,	,	
			An enclosed trailer with the equipment to set up a			
			federally required shelter for companion animals in a			
	32010 - Emergency	Shelter trailer for people	disaster. This trailer would also have enough supplies			Sheltering for companion animals is federally required when
FY27	Services	and companion animals	to set up sheltering for a limited number of people	\$20,000	\$500	opening shelters
			This building is located at the transfer station and is	+_0,000	\$000	The current building is set on 6"x6" posts and a deck type
			used to by the emplyees to accept funds from public for			foundation which is beginning to sag. A new building with a block
	42030 - Waste		dumping waste, restrooms and other day to day			foundation would be much better for long term use and would be
FY27		Scale house	activities	\$65,000	minimal	far less maintenance
FY2/	Management	Scale house	acuviues	\$65,000	minimal	lar less maintenance

FY27	71020 - Parks & Recreation	Department wide recreation master plan to allow the county to plan accordingly for furture recreation needs and facilities.	\$130,000	With the push for a recreational facility, this will allow us to better understand the community wants/needs compared to professionally formed data on regional/state/national trends. In additon, the plan will help the department align and have a more detailed focus for the future as it relates to the Nelson 2042 Comp Plan.
TOTAL FY27			\$5,012,700	

					Annual Operational	
Fiscal Year	Department	Item Name	Item Description	Item Cost	Cost(s)	Justification
	12180 & 32030 -		Replace the County's network firewall appliance with			
FY28	Technology & E911	Firewall Replacement	supported equipment.	\$8,500	\$1,200	Estimated End of Life for system
			Replacement of 4 network switches at the Courthouse			
	12180 & 32030 -	Courthouse Network Switch	that provide for County network, internet and telephone			Current switches are approximately 10 years old and will no longer
FY28	Technology & E911	Upgrade	system connectivity	\$28,500	\$2,800	be supported by the manufacturer effective10/31/2027.
			A new building that would house the 911 operations			Our current space is small. There is no dedicated EOC space, nor
	32010 - Emergency		and emergency management. This would also have a			spaces to house employees during an emergency requiring them
FY28	Services	EOC/ECC Building	dedicated EOC space .	\$10,000,000	TBD	to stay on premises.
						The skid steer currently being used is five years old and I would
						like to move it to the maintenance department. It is much heavier,
						has more power, enclosed cab and a stronger hydraulic which
	42030 - Waste		This machine is used to move solid waste on the			would be benificial in assisting with more of our needs and
FY28	Management	Bobcat Skid Steer	tipping floor at the transfer station	\$75,000	unforeseen rapairs	assisting in the needs of the Parks and Recreation Dept.
TOTAL FY28				\$10,112,000		
		Vesta 911 Call Handling	Replacement of all hardware components for the Vesta			Mission Critical Equipment. If the system fails 911 calls would
	12180 & 32030 -	Equipment Hardware	911 Call Handling Equipment used in the ECC to			have to be rerouted to administrative phone lines and no caller
FY29	Technology & E911	Refresh	process and answer 911 calls.	\$175,000	\$C	information would be provided other than by the caller.
						Mission Critical Equipment. UPS protects all equipment in the
						Emergency Communications Center from power surges and
	12180 & 32030 -	ECC UPS Battery	Replace UPS batteries in accordance with			provides power to the equipment in the event of generator failure
FY29	Technology & E911	Replacement	recommended 5 year replacement cycle.	\$15,000	\$C	during a power outage.
						Mission Critical Radio Communications Sites. UPS protects
						equipment from power surges and powers radio communications
						equipment in the event of generator failure during power outage.
	12180 & 32030 -	,	Replace UPS batteries at 4 tower sites in accordance			Loss of power to equipment results in loss of radio
FY29	Technology & E911	Replacement	with recommended 5 year replacement cycle.	\$47,200	\$C	communications in the coverage area of the site.
	12180 & 32030 -	Call Recording System		<b>.</b>		
FY29	Technology & E911	Upgrade	Replace current 911 call recording system	\$45,000	\$7,000	Estimated End of Life for system
						I am currently awaiting information on Leasing this equipment
						instead of purchasing it straight out. This would allow for proper
	40000 114		This machine is used to move solid waste from the			budgeting in the future because all service work and repairs would
5,000	42030 - Waste		tipping floor to trucks to be hauled away from the		•	be covered under the lease. The current excavator could then be
FY29	Management	Doosan 140 Excavator	transfer station	\$225,000-\$250,000	unforeseen repairs	used as a back up at the facility
TOTAL FY29				\$532,200		

	_				Annual Operational	
Fiscal Year	Department	Item Name	Item Description	Item Cost	Cost(s)	Justification
	11010 & 12010 - Board					
	of Supervisors & County					
FY30	Administration	Water Infrastructure	Water Infrastructure Possibilities at Dillard Creek	TBD	TBD	Supervisor Reed Request
	11010 & 12010 - Board					
	of Supervisors & County	Lovingston Water/Sewer				
FY30	Administration	System Capacity Upgrades	Lovingston Water/Sewer System Capacity Upgrades	TBD	TBD	Supervisor Reed Request
	11010 & 12010 - Board					
	of Supervisors & County	Stoney Creek Aqua VA				
FY30	Administration	System Purchase	Possible Purchase of Stoney Creek/Aqua VA System	TBD	TBD	Supervisor Reed Request
FY30	12180 & 32030 - Technology & E911		Replace UPS batteries in accordance with recommended 5 year replacement cycle.	\$30,000		Mission Critical Radio Communications System. DC plant protects equipment from power surges and powers the County's microwave systems at the site in the event of generator failure during a power outage. Loss of power to microwave equipment results in loss of microwave network connectivity to the ring for the site and disrupts simulcast synchronization for the site.
1100			Replace 4 CAD workstations in the ECC used by dispatchers to track 911 calls for service, determine	ψ <b>30</b> ,000	ψυ	
	12180 & 32030 -		responding agencies and view caller location on the			Computer Aided Dispatch (CAD) functionality is essential to
FY30	Technology & E911	<u> </u>	map.	\$7,500		dispatchers in processing calls for emergency services.
TOTAL FY30				\$37,500		
			GRAND TOTAL	\$16,788,089	\$729,128	